NUEVA 2026

NINJA® ZX™-10R









POTENCIA

Motor 4-stroke, in-line 4-cylinder, DOHC, 16-valve, liquid-cooled

Cilindrada 998cc

Diámetro por carrera 76.0 x 55.0mm

Relación de compresión

ión

Potencia máxima 190.0 hp¹ @ 11,500 rpm

13.0:1

Par motor máximo 82.7 lb-ft @ 11,300 rpm

Sistema de combustible

DFI® with 47mm throttle bodies

Encendido TCBI with Electronic Advance

Sealed chain

Awareness

Transmisión 6-speed, return shift

Transmisión final

Asistencia electrónica para el piloto Economical Riding Indicator, Electronic Cruise Control, Kawasaki Launch Control Mode (KLCM), Sport-Kawasaki TRaction Control (S-KTRC), Kawasaki Intelligent anti-lock Brake System (KIBS) (ABS only), Anti-lock Brake System (ABS) (ABS only), Power Modes, Kawasaki Cornering Management Function (KCMF), Kawasaki Engine Brake Control, Kawasaki Quick Shifter (KQS), IMU-Enhanced Chassis Orientation

RENDIMIENTO

Suspensión delantera/recorrido del neumático

Suspensión trasera/ recorrido del neumático 43mm inverted Showa Balance Free Fork (BFF) with external compression chamber, rebound and compression damping, spring preload adjustability/4.7 in

Horizontal back-link with Showa Balance Free Rear Cushion (BFRC) lite gas-charged shock with piggyback reservoir, rebound and compression damping, spring preload adjustability/4.2 in

Neumático delantero	120/70 ZR17
Neumático trasero	190/55 ZR17
Frenos delanteros	Dual 330mm semi-floating Brembo discs with radial-mount 4- piston Brembo M50 monobloc calipers (and ABS)

Frenos traseros Single 220mm disc with aluminum single-piston caliper (and

ABS)

DETALLES

Tipo de chasis	Twin spar, cast aluminum
Ángulo de dirección/ Avance	25.0°/4.1 in
Largo total	82.1 in
Ancho total	29.5 in
Altura del asiento	46.5 in
Distancia al suelo	5.1 in
Altura del asiento	32.5 in
Peso seco estimado	425.5 lb** (ABS), 421.1 lb** (non-ABS) 49-State Model
Peso en orden de marcha	463.0 lb* (ABS), 458.6 lb* (non-ABS) 49-State Model
Depósito de combustible	4.5 gal
Distancia entre ejes	57.1 in
Características especiales	5" All-digital TFT color instrumentation, All-LED lighting, Öhlins steering damper, Smartphone Connectivity with available Voice Command and Turn-by-Turn Navigation via RIDEOLOGY THE APP MOTORCYCLE***
Colores disponibles	Lime Green/Blue 24, Metallic Matte Graphenesteel Gray/ Metallic Spark Black/Pearl Storm Gray

12 Month Limited Warranty

Escanear con cámara para ver videos, características clave y más.



*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

***ENDEOLOGY THE APP and all trademarks, registered trademarks, logos, and copyrights are the property of their respective owners. Voice command and navigation functions will be available only to users who have purchased a license for those functions. Feature availability may vary to meet individual markets.

This vehicle's HP was measured according to ISO standard 4106. This ISO standard measures HP differently than the SAE standards by which the horsepower of many cars is measured, and as a result the referenced HP measurement may be higher than if it were measured by an SAE standard.

KAWASAKI CARES: Read Owner's Manual and all on-product warnings. Always wear a helmet, eye protection and proper apparel. Never ride under the influence of

Garantía

drugs or alcohol. Adhere to the maintenance schedule in your Owner's Manual. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visite Kawasaki-la.com para obtener detalles completos del producto.